

**ULTRA BRIGHT LED WORK AREA LIGHTING** 



#### Reliability from the Scene Lighting experts since 1968.

The FRC WorkPro<sup>™</sup> Series of work area lights deliver outstanding light output in a compact design.

- Built for harsh environments in robust cast aluminum housings with polycarbonate lens
- Protected against shock, RFI/EMI interference, voltage surges, UV and reverse polarity
- All lights are IP67 or IP68 compliant for dust and water ingress
- All at a great price and with the FRC 5-year warranty
- All models available in black or white



YOUR SAFETY. OUR MISSION.

# EXTERNAL MOUNTING: IP68 • 9-36V DC INPUT • 50,000+ OPERATING HOURS • INSTANT ON/OFF


### **3500 LUMENS**


## **1800 LUMENS**



MODEL	BEAM TYPE	CERTIFICATE	POWER (WATTS)	AMP DRAW (12V/24V)
LED330-A01	Spot	CE	26	2.2/1.1
LED330-B01	Flood	CE	26	2.2/1.1

\*Specify "B" for black and "W" for white after model number.







MODEL	BEAM TYPE	CERTIFICATE	POWER (WATTS)	AMP DR (12V/24
LED310-A03	Spot	<b>CE</b> (E4)	35	2.9/1.
LED310-B03	Flood	CE	35	2.9/1.

\*Specify "B" for black and "W" for white after model number.




LED300


MODEL	BEAM TYPE	CERTIFICATE	POWER (WATTS)	AMP DRAW (12V/24V)
LED300-A01	Spot	CE	20	1.6/0.8
LED300-B01	Flood	CE	20	1.6/0.8

\*Specify "B" for black and "W" for white after model number.

 $\square$ 

A Safe Fleet Brand










MODEL	BEAM TYPE	CERTIFICATE	POWER (WATTS)	AMP DR (12V/24
LED320-A03	Spot	<b>CE</b> (E4)	35	2.9/1.
LED320-B03	Flood	CE	35	2.9/1.


\*Specify "B" for black and "W" for white after model number.












YOUR SAFETY. OUR MISSION.


## 7200 LUMENS

LED340

MODEL	BEAM TYPE	CERTIFICATE	POWER (WATTS)	AMP DRAW (12V/24V)
LED340-A07	Spot	<b>CE</b> (E4)	78	6.5/3.2
LED340-B07	Flood	C€	78	6.5/3.2

\*Specify "B" for black and "W" for white after model number.





### RECESS MOUNTING: IP67 • 10-30V DC INPUT • 50,000+ OPERATING HOURS • INSTANT ON/OFF

